Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	54	713/158.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:43
L15	237	713/156.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
L16	297	713/155.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/12/29 10:41
L17	170	713/150.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
L18	23	380/229.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
L19	158	705/67.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:42
L20	11364	"705"/$.ccls. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:42
L21	0	14 and "tree with node"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:44
L26	10	14 and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45
L27	7	14 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45

L28	11	15 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45
L29	8	16 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
L30	3	17 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
L31	0	18 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
L32	5	19 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
L33	206	20 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
L34	0	26 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:47
L35	0	27 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
L36	0	28 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
L37	0	29 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48

L38	0	30 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
L39	0	31 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
L40	0	32 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
L41	0	33 and (maximum same minimum same (divid$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:49
L47	127	((maximum or larg$4 or big$4 or high$4) adj (value or amount or result or total)) near2 (subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:00
L48	0	((maximum or larg$4 or big$4 or high$4) adj (value or amount or result or total)) near2 (subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold) near2 ((minimum or smal$4) adj (value or amount or result or total)) with (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:44
L49	0	((maximum or larg$4 or big$4 or high$4) adj (value or amount or result or total)) near2 (subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold) near2 ((minimum or smal$4) adj (value or amount or result or total)) same (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:47
L50	0	(subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold) near2 ((minimum or smal$4) adj (value or amount or result or total)) with (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46
L51	0	(subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold) near2 ((minimum or smal$4) near3 (value or amount or result or total)) with (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46

L52	0	(value or amount or result or total) with (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46
L53	0	(divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:47
L54	0	(divid$3 adj2 by adj2 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
L55	0	(divid$3 adj2 by adj3 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
L56	0	(divid$3 adj2 by adj8 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
L57	0	(divid$3 adj8 by adj8 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
L58	9559	(divid$3 with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:49
L59	903	(divid$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:17
L60	0	(divid$3 with number with of with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:49
L61	0	(distribution adj (point or interval)) same (value or result) same (divid$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:15

L62	5	(distribution) same (value or result) same (divid$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:32
L63	2083	tree same average and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:33
L64	318	tree same node same average and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:08
L66	0	tree same node same average and CRL and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:09
L67	0	tree same node same average and (CRL or "revocatin list") and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:09
L68	2985	"distribution point" and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
L69	0	"distribution point" with divid$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
L70	0	"distribution point" same divid$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
L71	20	"distribution point" and divid$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:22
L72	0	"distribution point" and divid$3 with node and ("certificate revocation list" or "revocation list" or "revoked list" or CRL) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:21

L73	1	(produc$3 or generat$4) with "distribution point" and divid$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:43
L74	32	("5666416" "5960083" "6397329" "6128740" "6230266" "6292893" "6301659" "5717757" "5793868" "6097811" "5687235" "6314517" "5659616" "6226743" "6226743" "6351812" "6301658" "6442689").pn. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:44
L75	186	("5903882" "5717758" "5666416" "5960083" "6397329" "6128740" "6230266" "6292893" "6301659" "5717757" "5793868" "6097811" "5687235" "6314517" "5659616" "6226743" "6226743" "6351812" "6301658" "6442689" "5903651" "5699431" "6044462" "6532540" "6125349" "6487658" "6438690" "6202157" "6223291" "6223291" "6442571" "5745574" "5850442" "6134550" "6715073" "6324645" "6275941" "6490679" "6038551" "6108788" "6317829" "6510513" "5995625" "5373561" "5825300" "6039248" "6233685" "6367013" "5968177" "6336186").pn. ("5923756" "6198824" "6304974" "6192130" "6738912" "6615349" "6233341" "6202159" "6442696" "5611035" "6189096" "6425081" "5220603" "5864667" "6073124" "5922074" "6216231" "6216231" "6233428" "6249873" "6256741" "6356937" "6105010" "6061448" "6061448" "5748735" "5933503" "5774552" "5877759" "5220604" "5606617" "6324271" "6119230" "6285991" "6405313" "6038597" "5852665" "5867578" "6411716" "5534855" "6484258" "4868877" "5005200" "5214702" "5721781" "6170058" "5825880" "6526509" "6640007" "5210795").pn. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:45
L76	0	75 and ((maximum or larg$4 or big$4 or high$4) adj (value or amount or result or total)) near2 (subtrat$3 or "taken out" or deduct$3 or deduc$3 or withhold) near2 ((minimum or smal$4) adj (value or amount or result or total)) same (divid$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:48

L77	0	75 and variant same divid$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:48
L78	0	75 and variants same divid$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:49
L79	3	75 and value same divid$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:54
L80	0	75 and (distribution adj (interval or point)) same divid$ same by same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:55
L81	0	75 and (distribution adj (interval or point)) same divid$ same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:56
L82	0	75 and (distribution adj (interval or point)) and value same divid$ same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:56
S1	2	"5699431".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 11:04
S2	0	((comput$4 or generat$3 or calculat$3) same hash same maximum same minimum same divid$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 11:11
S3	2	((comput$4 or generat$3 or calculat$3) same hash same maximum same minimum same divid$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:21
S4	3	(hash same maximum same minimum same divid$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 11:13

S5	3	((comput$4 or generat$3 or calculat$3) same hash same ((maximum same minimum) or variant) same divid$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:22
S6	6	((comput$4 or generat$3 or calculat$3) same hash same ((maximum same minimum) or variant or difference) same divid$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:18
S7	19	"5699431"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:46
S8	201	"19" and (hash near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:46
S9	5	S7 and (hash near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:05
S10	2	"5953421".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:05
S11	2	"6812464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:06
S12	2	"6683958".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:07
S13	2	"5307410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:08
S14	2	"6438234".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:58

S15	20	("hash value" same ("subject name" or item)) and (certificat$ or "certificate revocation list" or CRL or "revocation list") and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 16:01